



EZ-Sand Orbital Sander

- **Modular two-piece design**
- **Sturdy and rugged components**
- **Vacuum-ready dust pipe**
- **Triple-motor and pad design**
- **Sands open areas and wall lines**



The EZ-Sand provides new and innovative orbital sanding action, while its unique and compact design allows it to sand almost anywhere.

Because Pride Still Matters.

A Nilfisk-Advance Brand

Clarke[®]
American Sanders

The Complete Sanding Solution.

Clarke American Sanders is proud to present the latest innovation in floor sanding equipment, the EZ-Sand Orbital Sander. Designed with steel, aluminum, and iron components, this machine delivers the rugged durability that you have come to expect.

With its unique appearance, a rotating handle, and its two-piece modular design, it is clear that this machine is no ordinary sander. In fact, it is a multi-purpose machine that can be used to sand both large and small areas on any project.

Its compact design allows it to sand edges, wall lines, and closets. Its powerful three-motor, triple-head design allows it to effectively sand large, open areas. The orbital sanding action makes it a very stable machine that is easy to run for use with or against the grain.

The EZ-Sand features a modular design that allows the handle to quickly separate from the base of the machine. This makes it incredibly easy to transport to and from any home or job-site. The sander is also equipped with a self-contained dust collection system. It may also be connected to a remote vacuum system for optimum dust containment.

The modular design allows the sander to disassemble into two pieces for easy service and transportation.



Simply remove six fasteners to gain access to the motors for routine service

Hook and Loop paper attachment uses 6.875 inch paper and makes changing paper quick and easy.



Triple pad design gives full sanding coverage while the triple motor design allows each pad to be driven directly from the motor – no belts to service.



The handle sleeve allows the handle to be locked in the upright position for storage, or released for operation.



A vacuum-ready dust pipe design easily fits a 1.5 inch vacuum hose for use with a dust control vacuum system.



The three-head sanding design will sand the entire floor, including edges and wall lines.



For superior dust collection, combine the EZ-Sand with a dust control vacuum from Clarke American Sanders



SPECIFICATIONS	EZ-Sand
Part Number	07164A
Motors	(3) 1/3 hp motors
Voltage	120 V / 60 Hz
Amperage	12 A
Paper Size	6.875 in
Paper Type	Hook and loop
Wheels	(2) Grey, non-marking
Sound Level	74 dB A
Power Cable	40 ft, grey, non-marking
Dimensions	19 in x 16 in x 45 in
Weight	102 lb
Warranty	Parts and Labor - 1 Year

Specifications are subject to change without notice.



Three cast aluminum drive plates that have six pie shaped hook faces attached.



The vacuum-ready dust pipe fits any standard 1.5 inch vacuum hose

What does the EZ-Sand do best?

- High speed orbital sanding
- Sands open areas and wall lines
- Sands with or against the grain

What are the safety features?

- Dust bag for dust collection
- Dust skirt prevents airborne dust
- Safety interlock switch

What are the accessories?

- Drive pads
- Dust bags



14600 21st Avenue North • Plymouth, MN 55447-3408
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2
Phone: 800.668.8400 • Fax: 800.263.5111

©2009 Nilfisk-Advance, Inc. All rights reserved. P/N 71290A 8/09

Clarke®
American Sanders